

Eaton 8D009K35SC

Catalog Number: 8D009K35SC

Stainless Steel square flange receptacle, passivated, with female contacts, polarization C; 8D009K35SC

General specifications



Product Name	Catalog Number
Eaton Souriau D38999 SIII / 8D series milaero connectors	8D009K35SC
Product Height	Product Length/Depth
23 mm	34.1 mm
Product Weight	Product Width
25 g	23 mm

Product specifications

Fitted with:

Shielding

Connector orientation

C

Connector type

Receptacle

Contact delivery

Unloaded

Contact gender

Socket (Female)

Contact plating

Gold

Contact type

Crimp

Coupling type

Thread

Degree of protection

IP67

Layout

35

Plating

Passivated

Shell continuity

10.0

Shell material

Stainless Steel

Shell size

9

Mating cycles

500

Operating temperature - max

200 °C

Operating temperature - min

-65 °C

Receptacle type

Resources

Drawings

8d009k35sc-c.pdf

Square Flange Receptacle

Number Of Contacts

6

Number of cavity #22D

6

Salt spray

500 hour

Working voltage (Vrms)

1300 V



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)