

# Eaton 8D015Z15AA

Catalog Number: 8D015Z15AA

Aluminium square flange receptacle, black zinc nickel plating, without male contacts, polarization A; 8D015Z15AA

## General specifications



<b>Product Name</b>	<b>Catalog Number</b>
Eaton Souriau D38999 SIII / 8D series milaero connectors	8D015Z15AA
<b>Product Height</b>	<b>Product Length/Depth</b>
31 mm	34.12 mm
<b>Product Weight</b>	<b>Product Width</b>
17 g	31 mm

## Product specifications

### Fitted with:

Shielding

### Connector orientation

A

### Connector type

Receptacle

### Contact delivery

Not delivered

### Contact gender

Pin (Male)

### Coupling type

Thread

### Degree of protection

IP67

### Layout

15

### Plating

Black Zinc Nickel

### Shell continuity

2.5

### Shell material

Aluminium

### Shell size

15

### Mating cycles

500

### Operating temperature - max

200 °C

### Operating temperature - min

-65 °C

### Receptacle type

Square Flange Receptacle

### Number Of Contacts

15

### Number of cavity #16

## Resources

### Drawings

8d015z15aa-c.pdf

15

Salt spray

500 hour

Working voltage (Vrms)

1800 V



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)