Eaton 8D0C11Z05SE

Catalog Number: 8D0C11Z05SE

Aluminium square flange receptacle, black zinc nickel plating, with female short PCB contacts, keying E; 8D0C11Z05SE

General specifications

15 g

Product Name	Catalog Number
Eaton Souriau 8D PCB series MIL-DTL-	8D0C11Z05SE
38999 series III PC tail version	Product Length/Depth
connectors	34.12 mm
	34.12 11111
Product Height	Product Width
26 mm	26 mm
Product Weight	





Product specifications

Fitted with:

Shielding

Connector orientation

Е

Connector type

Contact delivery

Loaded

Contact gender

Socket (Female)

Contact plating

Contact type

Coupling type

Degree of protection IP67

Layout

05

Plating

Black Zinc Nickel

Shell material

Shell size

11

Mating cycles

500

Operating temperature - max 200 °C

Operating temperature - min -65 °C

Receptacle type Square Flange Receptacle

Number Of Contacts 5

Number of cavity #20 5

PCB diameter

0.5 mm

Resources

Salt spray

500 hour

Working voltage (Vrms)

1800 V



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Righ Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia