Eaton 8D0L13J08SC

Catalog Number: 8D0L13J08SC

Composite square flange receptacle, Olive drab cadmium plating, with female long PCB contacts, keying C; 8D0L13J08SC

General specifications



Product Name

Eaton Souriau 8D PCB series MIL-DTL- 8D0L13J08SC

38999 series III PC tail version

connectors

Catalog Number

Product Length/Depth

35.26 mm

Product Height

28 mm

Product Width

28 mm

Product Weight

20 g



Product specifications

Connector orientation

Fitted with: Shielding

Resources

C C	
Connector type	
Contact delivery	
Not delivered	
Contact gender	
Socket (Female)	
Contact plating	
Contact type	
Coupling type	
Degree of protection	
IP67	
Layout 08	
Plating Cadmium	
Shell material	
Shell size	
13	
Mating cycles	
500	
Operating temperature - max	
175 °C	
Operating temperature - min	
-65 °C	
Receptacle type Square Flange Receptacle	
Number Of Contacts	
8	
Number of cavity #20	
8	
PCB diameter	
0.5 mm	

Salt spray

2000 hour

Working voltage (Vrms)

1800 V



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia