Eaton 8D0L25J61SC

Catalog Number: 8D0L25J61SC

Composite square flange receptacle, Olive drab cadmium plating, with female long PCB contacts, keying C; 8D0L25J61SC

General specifications



Eaton Souriau 8D PCB series MIL-DTL- 8D0L25J61SC 38999 series III PC tail version

connectors

Product Height

46 mm

Product Weight

76 g

Catalog Number

Product Length/Depth

36.01 mm

Product Width

46 mm



Product specifications

Fitted with: Shielding

С

Number Of Poles

Connector type

Connector orientation

Resources

Contact delivery
Not delivered
Contact gender
Socket (Female)
Contact plating
Contact type
Coupling type
Degree of protection IP67
Layout
61
Plating
Cadmium
Shell material
Shell size
25
Mating cycles
500
Operating temperature - max
175 °C
Operating temperature - min
-65 °C
Receptacle type
Square Flange Receptacle
Number of cavity #20
61
PCB diameter
0.5 mm

Salt spray

2000 hour

Working voltage (Vrms)

1800 V



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia