Eaton 8STA02424PC

Catalog Number: 8STA02424PC

Aluminium oval flange receptacle, Black Zinc Nickel plating, with male contacts; 8STA02424PC

General specifications

Product Name	Catalog Number
Eaton Souriau 8STA series lightweight	8STA02424PC
miniature connector	Product Length/Depth 33.5 mm
Product Height	Product Width
55.8 mm	43.3 mm
Product Weight 48.1 g	





Product specifications

Fitted with:

Shielding

Environmental conditions

RoHS REACH

Backshell type

Shrink Boot Adapter

Connector accessory option

Integrated with connector

Connector orientation

С

Connector type

Receptacle

Contact delivery

Unloaded

Contact gender

Pin (Male)

Contact plating

Gold

Contact type

Crimp

Coupling type

1/3 Bayonet

Degree of protection

IP67

Insert material

Peek

Layout

24

Plating

Black Zinc Nickel

Shell continuity

10.0

Shell material

Aluminium

Resources

Shell size

24

Mating cycles

500

Operating temperature - max 175 °C

Operating temperature - min

-55 °C

Receptacle type Square Flange Receptacle

Number Of Contacts

24

Number of cavity #12

12

Number of cavity #16

12

Salt spray

48 hour



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia