

Eaton 8STA0F1635SA

Catalog Number: 8STA0F1635SA

Aluminium oval flange receptacle, Nickel plating, with female contacts; 8STA0F1635SA

General specifications



Product Name

Eaton Souriau 8STA series lightweight miniature connector

Catalog Number

8STA0F1635SA

Product Length/Depth

33.5 mm

Product Height

41.4 mm

Product Width

30.3 mm

Product Weight

33.3 g



Powering Business Worldwide

Fitted with:

Shielding

Environmental conditions

RoHS

REACH

Backshell type

Shrink Boot Adapter

Connector accessory option

Integrated with connector

Connector orientation

A

Connector type

Receptacle

Contact delivery

Unloaded

Contact gender

Socket (Female)

Contact plating

Gold

Contact type

Crimp

Coupling type

1/3 Bayonet

Degree of protection

IP67

Insert material

Peek

Layout

35

Plating

Nickel

Shell continuity

10.0

Shell material

Aluminium

Shell size

16

Mating cycles

500

Operating temperature - max

175 °C

Operating temperature - min

-55 °C

Receptacle type

Square Flange Receptacle

Number Of Contacts

55

Number of cavity #22D

55

Salt spray

48 hour



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia