Eaton 8STA22235SN499

Catalog Number: 8STA22235SN499

Aluminium oval flange receptacle, Black Zinc Nickel plating, with female PCB contacts and M3 clinch nuts; 8STA22235SN499

General specifications



Eaton Souriau 8STA series lightweight

miniature connector

Product Height

51 mm

Product Weight

72.9 g

Catalog Number

8STA22235SN499

Product Length/Depth

33.5 mm

Product Width

40.4 mm



Product specifications

Environmental conditions

Connector accessory option

No backshell possibility

Fitted with: Shielding

REACH RoHS

Resources

Connector orientation Α Connector type Receptacle Contact delivery Loaded Contact gender Socket (Female) Contact plating Gold Contact type PCB Coupling type 1/3 Bayonet Degree of protection IP67 Insert material Peek Layout 35 **Plating** Black Zinc Nickel Shell continuity 10.0 Shell material Aluminium Shell size 22

Mating cycles

500

Operating temperature - max

175 °C

Operating temperature - min

-55 °C

Receptacle type

Oval Flange Receptacle

Number Of Contacts

100

Number of cavity #22D

100

Salt spray

48 hour



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia