

Eaton AHCL2030R

Catalog Number: AHCL2030R

Eaton Arrow Hart Color Coded Locking Receptacle, #14-8 AWG, 30A, Industrial, 3ØY 347/600 V, Black, Black, Ultra grip, Glass filled Nylon, L20-30, Four-pole, Four-wire, Glass-filled Nylon, -40°C (w/o impact) to 70°C (-40°F to 158°F)

General specifications

Product Name	Catalog Number
Eaton Arrow Hart Color Coded Locking Receptacle	AHCL2030R
	UPC
	032664758409
Product Length/Depth	Product Height
1.62 in	3.64 in
Product Width	Product Weight
1.06 in	0.33 lb
Compliances	Certifications
RoHS Compliant	CSA Certified
NAFTA	UL Listed
	NOM
	Federal Specification Classification 6233 01



Product specifications

Special features

Voltage Color Coding

Type

Locking Receptacle

Amperage Rating

30A

Voltage rating

3ØY 347/600 V

Application

Industrial

Wiring method

Back and side

Number of wires

4

Number Of Poles

Four-pole

Color

Black

Material

Glass filled nylon

Operating temperature

-40 to 70 °C (-40 to 158 °F)

Allowable wire size

#14-8 AWG

NEMA configuration

L20-30

Torque rating

20 lbf-inch

Design type

Ultra grip

Face/body material

Glass filled nylon

Resources

Multimedia

[Eaton Arrow Hart color coded locking devices](#)

Specifications and datasheets

[Arrow Hart color coded industrial grade L20-30 locking devices spec sheet](#)

[Eaton Specification Sheet - AHCL2030R](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)