

Eaton DSD SR30620 SX178

Catalog Number: DSD SR30620 SX178

Eaton Crouse-Hinds series DSD-SR selector switch, 30A, Six-pole, 2, Lockout for two position switch, handle in either position, On/Off, 600 Vac, EDS/EFS back boxes



General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series DSD-SR selector switch	DSD SR30620 SX178
	UPC 662276850095
Product Length/Depth	Product Height
2.38 in	5.875 in
Product Width	Product Weight
3.5 in	1.65 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class III

Class II, Division 1

Class I, Division 1

NEMA Rating

5

12

3

Product specifications

Amperage Rating

30A

Voltage rating

600 Vac

Switch function

On/Off

Number Of Poles

Six-pole

Number Of Positions

2

Special features

Lockout for two position switch, handle in either position

Used with

EDS/EFS back boxes

Resources

Catalogs

[DSD-SR Series Explosionproof HP Rated Selector Switch Sub-assembly catalog page](#)

Certification reports

[DSD-SR Explosionproof HP Rated Selector Switch Sub-assembly UL certification](#)

[DSD-SR Explosionproof HP Rated Selector Switch Sub-assembly Canadian certification](#)

Specifications and datasheets

[Eaton Specification Sheet - DSD SR30620 SX178](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)