

# Eaton EMAR43575000

Catalog Number: EMAR43575000

Eaton Crouse-Hinds series Pauluhn ECOS EMAR linear fluorescent light fixture, 3/4" Plastic gland at one end, plugged entry, 4 ft, Polycarbonate lens, T5HO bi-pin, Fiberglass-reinforced polyester, 3-lamp, Shock mount, 120-277 Vac, 54W

## General specifications



<b>Product Name</b>	<b>Catalog Number</b>
Eaton Crouse-Hinds series Pauluhn ECOS EMAR linear fluorescent light fixture	EMAR43575000
	<b>UPC</b>
	662276518728
<b>Product Length/Depth</b>	<b>Product Height</b>
53 in	5.6 in
<b>Product Width</b>	<b>Product Weight</b>
8.5 in	17 lb

## Certifications and compliances

### Area classification

Ordinary/Non-Hazardous Locations

### Standards type

NEC/CEC

### NEMA Rating

4X

### Ingress protection (IP) ratings

IP66

## Product specifications

### Lamp type

Fluorescent

### Lamp length

4 ft

### Light type

T5HO bi-pin

### Voltage rating

120-277 Vac

### Frequency rating

50/60 Hz

### Mounting

Shock mount

### Entry size

3/4"

### Entry type

Plastic gland at one end, plugged entry

### Wattage

54W

### Number of lamps

3-lamp

### Material

Fiberglass-reinforced polyester

### Lens material

Polycarbonate

## Resources

### Brochures

[Crouse-Hinds series Pauluhn ECOS Linear Fluorescent brochure](#)

### Catalogs

[Crouse-Hinds series Pauluhn ECOS Linear Fluorescent catalog page](#)

### Certification reports

[Pauluhn ECOS Hazardous, Harsh and Marine Linear Fluorescent Light Fixtures Canadian certification](#)

[Pauluhn ECOS Hazardous, Harsh and Marine Linear Fluorescent Light](#)

Fixtures UL certification

Installation instructions

IF LBL1579 - Pauluhn ECOS EMAR Series Linear Fluorescent

Specifications and datasheets

Eaton Specification Sheet - EMAR43575000



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)