

Eaton EDSC3299 P39

Catalog Number: EDSC3299 P39

Eaton Crouse-Hinds series EDS manual motor starter control station, Single-pole, With switch, 1 HP, With two 1" hubs, Feraloy iron alloy, Two-gang, With 15.20A Allen Bradley heater, Through feed, 1"

General specifications



Product Name	Catalog Number
Eaton Crouse-Hinds series EDS manual motor starter control station	EDSC3299 P39
	UPC
	662276628816
Product Length/Depth	Product Height
7.19 in	6.97 in
Product Width	Product Weight
5.06 in	8.02 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class II, Division 2

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class III

NEMA Rating

3

7

9

Product specifications

Enclosure type

With switch

Number of gangs

Two-gang

Configuration

Single-pole

Style

Through feed

Trade size

1"

Horsepower

1 hp

Hub style

With two 1" hubs

Material

Feraloy iron alloy

Special features

With 15.20A Allen Bradley heater

Resources

Catalogs

[EDS Series Explosionproof Motor Starter Control Stations catalog page](#)

Certification reports

[EDS Explosionproof Motor Starter Control Stations UL certification](#)

[EDS Explosionproof Motor Starter Control Stations Canadian certification](#)

Installation instructions

[IF 372 - EDS Notice](#)

[IF 899 - EDSX, EDS, EFS, DSDX and DSD Control Stations](#)

[IF 242 - EDS and EDSC Control Stations](#)

Specifications and datasheets

[Eaton Specification Sheet - EDSC3299 P39](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)