

Eaton PVMA5L/UNV1S903

Catalog Number: PVMA5L/UNV1S903

Eaton Crouse-Hinds series Champ Pro PVMA LED light fixture, Cool white, 150W MH, 50/60 Hz, Polycarbonate lens, 5000 lumens, 122 lm/W, Die cast aluminum, No mounting module, Type V optics, >0.90 PF, 48W

General specifications



Product Name	Catalog Number
Eaton Crouse-Hinds series Champ Pro PVMA LED light fixture	PVMA5L/UNV1S903
	UPC
	662276826243
Product Length/Depth	Product Height
10.18 in	7.1 in
Product Width	Product Weight
10.18 in	13.2 lb

Certifications and compliances

Area classification

Ordinary/Non-Hazardous Locations

Standards type

NEC/CEC

IEC

Product specifications

Lumens

5000

Lumens per watt

75

Color temperature

Cool white

Mounting Method

No mounting module

Optical distribution

Type V

Voltage rating

120-277 Vac, 127-300 Vdc

Frequency rating

50/60 Hz

Material

Die cast aluminum

Lens material

Polycarbonate

Wattage

48W

Equivalent luminaire

150W MH

Power factor

> 0.90

Resources

3D CAD drawing package

[Eaton Crouse-Hinds PVMA5L/UNV1S903 3D drawing](#)

Brochures

[Crouse-Hinds series industrial LED lighting solutions](#)

[Crouse-Hinds series Global LED lighting portfolio](#)

[Crouse-Hinds series Champ Pro PVMA LED brochure](#)

Catalogs

[Crouse-Hinds series Champ Pro PVMA LED catalog page](#)

Certification reports

[Champ Pro PVMA Low Bay Industrial LED Light Fixtures Canadian certification](#)

[Champ Pro PVMA Low Bay Industrial LED Light Fixtures UL certification](#)

Installation instructions

[IM0454 - Champ Pro PVMA LED](#)

Specifications and datasheets

[Champ Pro PVMA Low Bay Industrial LED](#)

[Eaton Specification Sheet - PVMA5L/UNV1S903](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)