

# Eaton SPD250480D2B

Catalog Number: SPD250480D2B

Surge Protection Device, SPD series, For switchgear with remote display, 250 kAIC, 480V delta (3W+G), Standard feature package, Internal integrated mount, 640 L-G, 640 L-L operating voltage

## General specifications



<b>Product Name</b>	<b>Catalog Number</b>
Eaton SPD series surge protection device	SPD250480D2B
	UPC
	786685320380
<b>Product Length/Depth</b>	<b>Product Height</b>
9.5 in	3.45 in
<b>Product Width</b>	<b>Product Weight</b>
5.4 in	7 lb
<b>Warranty</b>	<b>Certifications</b>
15 year	UL 1449
	UL Listed

## Product specifications

### Type

SPD

### Special features

Meets or exceeds the requirements specified in IBC @2006, CBC2007, and UBC@Zone 4. Audible alarm with silence button. Form C relay contact. EMI/RFI filtering, providing up to 50 dB of noise attenuation from 10 kHz to 100 MHz. Surge counter with reset button

### Accessories

Standard feature package

### Frequency rating

50/60 Hz

### Interrupt rating

200 kAIC

### Nominal Discharge Current

20 kA

### Operating voltage

640 L-G, 640 L-L

### Used with

Switchgear with remote display

### Voltage rating

480 delta (3W+G)

### Surge current

250 kA per phase

### Short-circuit rating

200 kA

### Operating temperature

-40 to 50 °C

### Mounting Method

Internal integrated

## Resources

### Brochures

[Eaton's SPD Series \(Integrated Versions\) Product Aid](#)

### Specifications and datasheets

[Eaton's SPD Series \(Integrated Versions\) Data Sheet](#)

[Eaton Specification Sheet - SPD250480D2B](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)