# Eaton UHS1206AR0W0AB1

# Catalog Number: UHS1206AR0W0AB1

Eaton Cooper Power series arrester, Poly housing, 10.2 kV, 12 kV, No line term wire, 12 mm x 30 mm long term, SS nut and SS wire clamp, No iso, SS nut, lock washer and flat washer, Insulated base, No brkt, VariSTAR, HD



## General specifications

**Product Name Catalog Number** Eaton Cooper Power series arrester UHS1206AR0W0AB1 UPC **Product Height** 194006042901 8.79 in **Product Diameter Product Weight** 3.5 in 4.189 lb Compliances Certifications Not Applicable IEC 60099-4



### Product specifications

#### Туре

UltraSIL polymer-housed VariSTAR arrester

**Special features** 

Heavy-duty

Application

Distribution

Voltage rating

12 kV

Material type

Polymer housing

Duty cycle voltage rating

12 kV rms

Standard

IEC 60099-4

Frequency rating

50-60 Hz

Mounting Transformer mounted

Equivalent front-of-wave

43.9 kV

Discharge voltage - max 32.7; 34.8; 36.4; 39.7; 43.9; 49.5 kV (@1.5; 3; 5; 10; 20; 40 kA)

Steep Current Residual Voltage (kV Crest) 43.2 kV

**Creep Distance** 

15.9 in/404 mm

Line stud and lead options No line terminal wire, 12 mm x 30 mm long terminal

Line terminal accessories

Stainless steel nut and stainless steel wire clamp

Isolator options

No isolator

Ground terminal options

Stainless steel nut, lock washer and flat washer

### Resources

Brochures

Ultrasil Polymer Housed Varistar IEEE Surge Arrester Catalog

Specifications and datasheets

Eaton Specification Sheet - UHS1206AR0W0AB1

#### Base/bracket configuration options

Insulated base

Mounting bracket options

No additional mounting bracket

Nameplate options Standard per IEC 60099-4 (Spanish-Mexico)

Packaging options Individual carton (unassembled terminal hardware)

Nominal Discharge Current

10 kA

Maximum continuous operating voltage 10.2 kV rms



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia