

# Eaton UTSX712D10PX

Catalog Number: UTSX712D10PX

Jam nut receptacle, without backshell, with 10 male PCB contacts, IP68/69K in unmated conditions, keying X; UTSX712D10PX

## General specifications



### Product Name

Eaton Souriau UTSX series plastic circular bayonet connector

### Catalog Number

UTSX712D10PX

### Product Length/Depth

24.5 mm

### Product Height

31.8 mm

### Product Width

31.8 mm

### Product Weight

14 g

## Product specifications

### Environmental conditions

RoHS

### Connector accessory option

No backshell possibility

### Connector orientation

X

### Connector type

Receptacle

### Contact delivery

Delivered with the connector, mounted

### Contact gender

Pin (Male)

### Contact plating

Gold flash

### Contact type

PCB

### Coupling type

1/3 Bayonet

### Layout

D10

### Shell material

Plastic

### Shell size

12

### Mating cycles

250

### Operating temperature - max

105 °C

### Operating temperature - min

-40 °C

### Receptacle type

Jam Nut Receptacle

### Number Of Contacts

10

### Number of cavity #20

## Resources

### Drawings

UTSX0002AC.pdf

Salt spray

500 hour



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)