

# Eaton XPLA4-UNV34-S917-P

Catalog Number: XPLA4-UNV34-S917-P

Eaton Crouse-Hinds series Hazard-Gard XPLA linear LED light fixture, Cool white, Painted gray epoxy finish, 4 ft, Glass lens, 8000 lm, 139 lm/W, Copper-free aluminum, -40°C to +65°C suitability, 347-480 Vac, 59W

## General specifications



### Product Name

Eaton Crouse-Hinds series Hazard-Gard XPLA4-UNV34-S917-P  
XPLA linear LED light fixture

### Catalog Number

UPC  
662276962736

### Product Length/Depth

48.2 in

### Product Height

4.56 in

### Product Width

6.5 in

### Product Weight

27 lb

## Certifications and compliances

### Area classification

Hazardous/Classified Locations

### Standards type

NEC/CEC

### NEC hazardous rating

Class I, Division 1

Class II, Division 1

Class III

### NEMA Rating

4X

### Ingress protection (IP) ratings

IP66

## Product specifications

### Lamp type

LED

### Color temperature

Cool white

### Lamp length

4 ft

### Lumens

8000

### Lumens per watt

139

### Voltage rating

347-480 Vac

### Frequency rating

50/60 Hz

### Lens material

Glass

### Finish

Painted gray epoxy

### Material

Copper-free aluminum

### Wattage

59W

### Power factor

> 0.90

### Special features

-40°C to +65°C suitability

## Resources

### Brochures

[Crouse-Hinds series Global LED lighting portfolio](#)

[Crouse-Hinds series Hazard-Gard XPLA LED Linear brochure](#)

[Crouse-Hinds series DLC approved lighting products](#)

### Catalogs

[Crouse-Hinds series Hazard-Gard XPLA LED Linear catalog page](#)

## Certification reports

Hazard-Gard XPLA Explosionproof Linear LED Light Fixtures UL certification

Hazard-Gard XPLA Explosionproof Linear LED Light Fixtures Canadian certification

Hazard-Gard XPLA Explosionproof Linear LED Light Fixtures Canadian certification (XPLA4 with Battery Back-up)

Hazard-Gard XPLA Explosionproof Linear LED Light Fixtures UL certification (XPLA4 with Battery Back-up)

## Installation instructions

IF 1904 - Hazard-Gard XPLA LED Fixtures

IF 1905 - Hazard-Gard Linear XPLA LED Fixtures with EM

## Specifications and datasheets

Hazard-Gard XPL LED Explosionproof Linear

Eaton Specification Sheet - XPLA4-UNV34-S917-P



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)