

PRODUCT-DETAILS

R7% 50 400-50(copper)

R7% 50Kvar 400V 50Hz(copper)



General Information			
Extended Product Type	R7% 50 400-50(copper)		
Product ID	10121503		
Catalog Description	R7% 50Kvar 400V 50Hz(copper)		
Long Description	The reactor is used to protect the detuning capacitor, with H-class insulation		

Material Compliance			
RoHS Status	No declaration needed		
REACH Declaration	No declaration needed		
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363		

Dimensions	
Product Net Width	258 mm
Product Net Height	230 mm
Product Net Depth /	160 mm

10	n	a	1+1	h	

Product Net Weight	34 kg

Ordering

Package Level 1 Units box 1 piece
Package Level 1 Gross 34 kg
Weight

Certificates and Declarations

Declaration of No declaration needed Conformity - CE

Installation

Instructions and 1SXF490001C2001 Manuals

Popular Downloads

Data Sheet, Technical 1SXF490001C2001
Information 1SXF490001C2001

Classifications

WEEE Category Product Not in WEEE Scope

Categories

 $\textbf{Low Voltage Products and Systems} \rightarrow \textbf{Power Quality} \rightarrow \textbf{Reactor} \rightarrow \textbf{Reactor Copper}$

