OT125EAUA6A 1/3



PRODUCT-DETAILS

OT125EAUA6A OT125EAUA6A Safety switch "No longer for sale" replaced by



General Information	
Extended Product Type	OT125EAUA6A
Product ID	1SCA022500R4140
EAN	6417019161099
Catalog Description	OT125EAUA6A Safety switch
Long Description	Safety switch, 6-p. 400V AC23 125A, 55kW. Steel sheet enclosure. IP54. RedYellow Pistol handle. Interlocked cover. Defeatable interlocking.

Material Compliance

 RoHS Information
 1SCC301183D0202

 RoHS Status
 Following EU Directive 2011/65/EU

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85363030
Replacement Product ID (NEW)	OT125GAUC6AZ
Country of Origin	Finland (FI)

OT125EAUA6A 2/3

Popular Downloads		
Data Sheet, Technical Information		1SCC340015C0201
Instructions and Manuals		1SCC340005M0007
Dimensions		
Product Net Width		400 mm
Product Net Height		600 mm
Product Net Depth / Length		230 mm
Product Net Weight		20 kg
Technical		
Rated Operational Current		(380 415 V) 125 A
AC-22A (I _e)		(500 V) 125 A
Rated Operational Current		(690 V) 125 A (380 415 V) 125 A
AC-23A (I _P)		(380 415 V) 125 A (500 V) 90 A
		(690 V) 70 A
Rated Operational Power		(380 415 V) 55 kW
AC-23A (P _e)		(500 V) 55 kW
Conventional Thermal Current (I _{the})		(690 V) 55 kW Fully Enclosed 160 A
Rated Insulation Voltage (U _i)		acc. to IEC/EN 60664-1 750 V
Rated Operational Voltage		Main Circuit 750 V
Power Loss	at Ra	ted Operating Conditions per Pole 4 W
Pollution Degree	atria	3
Handle Color		Red / Yellow
Handle Type		Pistol handle
Number of Poles		Fisioi rialidie
Cable Cross-Section		120 mm²
Cable Entry Position		Down/Down
Cable Outlets Per Side		Blank / Open
Degree of Protection Englacure Material		acc. to IEC 60529 IP54
Enclosure Material		Steel sheet
Maximum Mounted Auxiliary Contacts		2 NO, 2 NC
Mounted Auxiliary		2 NO, 2 NC
Contacts		
Certificates and Declarations		
Declaration of Conformity - CE		1SCC340002D2703
Container Information		
Package Level 1 Units		1 piece
Package Level 1 Width		415 mm
Package Level 1 Depth / Length		710 mm
Package Level 1 Height		325 mm
© 2024 ARR All rights reserved	2024/10/04	Subject to chan

OT125EAUA6A 3/3

Package Level 1 Gross Weight	20 kg	
Package Level 1 EAN	6417019161099	
Classifications		
Object Classification Code	Q	
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)	

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Enclosed\ Switches \rightarrow Enclosed\ Safety\ Switches \rightarrow Enclosed\ Safety\ Switches$

