




---

 PRODUCT-DETAILS

PR221DS-I In=1000 T6 1000 4p

PR221DS-I In=1000 T6 1000 4p

---

**General Information**

Extended Product Type	PR221DS-I In=1000 T6 1000 4p
Product ID	1SDA060603R1
EAN	8015644631116
Catalog Description	PR221DS-I In=1000 T6 1000 4p
Long Description	SOLID-STATE RELEASE FOUR-POLE IN AC PR221DS-I R 1000 T6 1000

---

**Environmental**

Environmental Information	9AKK108467A6707
---------------------------	-----------------

---

**Material Compliance**

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control	9AKK108467A8326

Act - TSCA

**Ordering**

EAN	8015644631116
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

**Dimensions**

Product Net Weight	1.3 kg
--------------------	--------

**Container Information**

Package Level 1 Units	1 piece
Package Level 1 Width	15 mm
Package Level 1 Height	16 mm
Package Level 1 Depth / Length	30 mm
Package Level 1 Gross Weight	1.4 kg
Package Level 1 EAN	8015644631116

**Additional Information**

Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	Accessory
Suitable For	T6
Suitable for Product Class	SACE Tmax T

**Technical**

Configuration Type	Loose or configurable
Number of Poles	4
Rated Current (I <sub>n</sub> )	1000 A
Release	PR221DS-I
Release Type	Electronic
Standards	IEC

**Certificates and Declarations**

Data Sheet, Technical Information	1SDC210015D0201
Declaration of Conformity - CE	1SDL000165R0001
Instructions and Manuals	1SDC210015D0201

**Classifications**

ETIM 8	EC001023 - Shunt release (for power circuit breaker)
ETIM 9	EC001023 - Shunt release (for power circuit breaker)
Object Classification Code	Q
UNSPSC	39121100

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27370418

---

---

## Categories

---

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T