



PRODUCT-DETAILS

# E6V-A 6000 PR122/P-LSIG In=6000A 3p W MP

## E6V-A 6000 PR122/P-LSIG In=6000A 3p W MP



General Information	
Extended Product Type	E6V-A 6000 PR122/P-LSIG In=6000A 3p W MP
Product ID	1SDA070378R1
EAN	8015644712877
Catalog Description	E6V-A 6000 PR122/P-LSIG In=6000A 3p W MP
Long Description	SACE EMAX MOVING PART FOR CIRCUIT-BREAKER E6V-A 6000A UL THREE-POLE OVERCURRENT RELEASE PR122/P-LSIG R6000 FITTED WITH: 4 AUXILIARY CONTACT AND C.BREAKER IN POSITION OPEN-CLOSED

Environmental	
Environmental Information	9AKK10103A6076

Material Compliance	
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template	Document availability on demand

(CMRT)

**Ordering**

EAN	8015644712877
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

**Dimensions**

Product Net Width	810 mm
Product Net Height	461 mm
Product Net Depth / Length	396.5 mm
Product Net Weight	116 kg

**Additional Information**

Product Main Type	SACE Emax
Product Name	Fixed Part
Product Type	CBMP
Version	W

**Technical**

Current Type	AC
Mechanical Durability	8000 cycle 30 cycles per hour
Number of Poles	3
Rated Current ( $I_n$ )	6000 A
Rated Voltage ( $U_r$ )	600 V
Release	PR122/P-LSIG
Release Type	EL
Short-Circuit Performance Level	V
Standards	UL 1066
Sub-type	E6

**Technical UL/CSA**

Interrupting Rating acc. to UL1066	(240 V AC) 125 kA (480 V AC) 125 kA (600 V AC) 100 kA
------------------------------------	---

**Certificates and Declarations**

Data Sheet, Technical Information	1SDC200008D0202
Declaration of Conformity - CE	1SDL000165R0017
Instructions and Manuals	1SDH000532R0002

**Classifications**

WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
---------------	---

---

## Categories

---

[Low Voltage Products and Systems](#) → [Circuit Breakers](#) → [Air Circuit Breakers](#) → [Emax](#)

