




---

 PRODUCT-DETAILS

# E6.2V-A/E 4000 Ekip Touch LSI 3p FHR

## E6.2V-A/E 4000 Ekip Touch LSI 3p FHR




---

**General Information**

Extended Product Type	E6.2V-A/E 4000 Ekip Touch LSI 3p FHR
Product ID	1SDA113776R1
EAN	8056221043090
Catalog Description	E6.2V-A/E 4000 Ekip Touch LSI 3p FHR
Long Description	C.BREAKER SACE EMAX2 E6.2V-A/E 4000 UL FIXED THREE-POLE WITH TERMINALS REAR VERTICAL AND SOLID-STATE RELEASE IN AC EKIP/TOUCH-LSI R 4000 FITTED WITH: 4 AUXILIARY CONTACT AND C.BREAKER IN POSITION OPEN-CLOSED

---

**Material Compliance**

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template (CMRT)	Document availability on demand
Toxic Substances Control Act - TSCA	9AKK108467A8326

## Ordering

EAN	8056221043090
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

## Dimensions

Product Net Width	762 mm
Product Net Height	371 mm
Product Net Depth / Length	270 mm
Product Net Weight	112 kg

## Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	515 mm
Package Level 1 Height	610 mm
Package Level 1 Depth / Length	1127 mm
Package Level 1 Gross Weight	163 kg
Package Level 1 EAN	8056221043090

## Additional Information

Product Main Type	SACE Emax 2
Product Name	Air Circuit Breaker
Product Type	Air Circuit Breaker
Version	F

## Technical

Current Type	AC
Electrical Durability	Ue = 730 V 400 cycle 10 cycles per hour
Mechanical Durability	12000 cycle 60 cycles per hour
Number of Poles	3
Power Loss	476 W
Rated Current (I <sub>n</sub> )	4000 A
Rated Insulation Voltage (U <sub>i</sub> )	730 V
Rated Operational Voltage	730 V
Rated Voltage (U <sub>r</sub> )	730 V
Release	Ekip Touch LSI
Release Type	EL
Remarks	UL1066 760V
Short-Circuit Performance Level	N
Standards	UL
Sub-type	E6.2

Terminal Connection  
Type

Rear flat Horizontal

---

## Technical UL/CSA

Interrupting Rating acc.  
to UL1066

(730 V AC) 65 kA

---

## Certificates and Declarations

Data Sheet, Technical  
Information

1SXU200040C0201

Declaration of  
Conformity - CE

9AKK106713A5544

Instructions and  
Manuals

1SDH001000R0002

---

## Classifications

ETIM 8

EC000228 - Power circuit-breaker for trafo/generator/installation  
protection

WEEE Category

4. Large Equipment (Any External Dimension More Than 50 cm)

eClass

V11.1 : 27370409

---

## Categories

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Emax 2

