



PRODUCT-DETAILS

E4.2V MS/DC-E 3200A 1500V 4p F

E4.2V MS/DC-E 3200A 1500V 4p F



General Information

Extended Product Type	E4.2V MS/DC-E 3200A 1500V 4p F
Product ID	1SDA115419R1
EAN	8056221075053
Catalog Description	E4.2V MS/DC-E 3200A 1500V 4p F
Long Description	Emax 2 switch-disconnector E4.2V MS/DC-E 3200A 1500V IEC four poles fixed without terminals

Environmental

Environmental Information	9AKK108467A6707
---------------------------	-----------------

Material Compliance

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326
SCIP	ed513617-bb56-4499-88b8-0936f59c847e Italy (IT)
Simplified SCIP	1317627f-9554-4b0e-aa47-c96f2a5c5897 Spain (ES) a3c58125-033e-4c66-b10e-f47b7f94b5ee Belgium (BE) ea7a3167-3ca9-4ea6-acec-c6b73f1e23bf Hungary (HU) fdeeebda-b74b-4a5e-812f-708eb2a08419 France (FR) 23604308-b40c-44ad-8147-8f065c312db3 Germany (DE) 9ad0cc42-6bd9-4d5a-bdbc-3b5191ee4825 Denmark (DK) 4daab59d-b2e4-4328-8550-fdc46d31f3f0 France (FR) abd176d5-f8f7-48e8-9e4f-3dda42083527 Sweden (SE) fb8fdd02-dee7-4186-b111-4636b9927d6a Germany (DE) 0e7759d6-0227-477e-a9f9-445080e7d55c Germany (DE) 334e0560-1da7-43c3-96ed-fc358d55b96e Croatia (HR) 768f4c99-7b58-4a33-a8a0-673dcb488f7c Portugal (PT) 7b5eeb52-f222-412e-a9d5-cd49bcd5d431 Germany (DE) 2d738e9c-1eef-4864-b895-019919a61b5a Poland (PL) fe417e44-a283-43e9-8803-6f63085a9ccc Bulgaria (BG) 001c950b-3dc5-45df-99e3-1a8acdfd63e0 Netherlands (NL) 29c2adff-9e97-46f4-9e8e-a5ddcc5d9c43 Poland (PL) c2206fcb-309c-4727-a7f0-91e974bea5e7 Czech Republic (CZ) 80aebde4-4d62-4897-9fd4-da80ebe9527c Belgium (BE) 8e2f6199-deeb-420d-be1f-e3b1790bf36f Germany (DE) 9b3f354d-e0cc-450b-aa57-db212c05e717 Greece (GR) bbe675ea-dd9e-48f6-ab58-88daa696055a Norway (NO) 8f337ed7-c228-4d98-a7d6-2cfd5a03a84e Sweden (SE) 50c2949c-7de2-4644-b731-e241449668d5 Poland (PL) 64c37f82-e784-4bef-a4d4-99d87a22ea39 Finland (FI) 32d32067-e613-4530-808a-0b7f08d29460 Hungary (HU) 983be40d-aeef-42d6-aca1-63c0b301e547 Estonia (EE)

Ordering

EAN	8056221075053
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

Dimensions

Product Net Width	510 mm
Product Net Height	371 mm
Product Net Depth / Length	270 mm
Product Net Weight	81 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	515 mm
Package Level 1 Height	600 mm
Package Level 1 Depth / Length	785 mm
Package Level 1 Gross Weight	95 kg
Package Level 1 EAN	8056221075053

Additional Information

Product Main Type	SACE Emax 2
Product Name	Switch Disconnecter
Product Type	Switch Disconnecter
Version	F

Technical

Current Type	DC
Number of Poles	4
Power Loss	500 W
Rated Current (I_n)	3200 A
Rated Impulse Withstand Voltage (U_{imp})	12000 V
Rated Insulation Voltage (U_i)	1500 V
Rated Operational Voltage	1500 V DC
Rated Short-time Withstand Current Low Voltage (I_{cw})	100 kA
Rated Uninterrupted Current (I_u)	3200 A
Rated Voltage (U_r)	1500 V
Short-Circuit Performance Level	N
Standards	IEC
Sub-type	E4.2
Terminal Connection Type	Rear flat Vertical

Certificates and Declarations

Data Sheet, Technical Information	1SDC200045D0201
Declaration of Conformity - CE	1SDH000165R0047
Instructions and Manuals	1SDH002083A1002

Classifications

ETIM 8	EC000216 - Switch disconnecter
ETIM 9	EC000216 - Switch disconnecter (low voltage)
Object Classification Code	Q
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
eClass	V11.1 : 27371403

Categories

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Emax 2

