




---

 PRODUCT-DETAILS

# DR MPACT 2 H1-E4.2H 3200 acc. 4p

## DR MPACT 2 H1-E4.2H 3200 acc. 4p




---

**General Information**

Extended Product Type	DR MPACT 2 H1-E4.2H 3200 acc. 4p
Product ID	1SDA118603R1
EAN	8056221131339
Catalog Description	DR MPACT 2 H1-E4.2H 3200 acc. 4p
Long Description	Direct Replacement GE M-PACT Frame 2, type H1, 3200A, 4 poles, to Emax 2 E4.2H 3200A (Accessorized code)

---

**Material Compliance**

REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template (CMRT)	Document availability on demand

---

**Ordering**

EAN	8056221131339
Minimum Order Quantity	1 piece
Customs Tariff Number	85362090

## Dimensions

Product Net Width	538 mm
Product Net Height	375 mm
Product Net Depth / Length	370 mm
Product Net Weight	80 kg

## Container Information

Package Level 1 Units	PF
Package Level 1 Width	635 mm
Package Level 1 Height	695 mm
Package Level 1 Depth / Length	765 mm
Package Level 1 Gross Weight	108 kg
Package Level 1 EAN	8056221131339

## Additional Information

Product Main Type	Direct Replacement retrofit kit
Product Type	Direct Replacement GE M-PACT to Emax 2 - Circuit Breaker
Version	W

## Technical

Configuration Type	Loose or configurable
Current Type	AC
Number of Poles	4
Rated Current (I <sub>n</sub> )	3200 A
Rated Operational Voltage	690 V AC
Rated Service Short-Circuit Breaking Capacity (I <sub>cs</sub> )	(415 V AC) 80 kA (500 V AC) 65 kA (600 V AC) 50 kA (690 V AC) 40 kA
Rated Service Short-Circuit Breaking Capacity, in % of I <sub>cu</sub> (I <sub>cs</sub> )	100 %
Rated Short-time Withstand Current Low Voltage (I <sub>cw</sub> )	for 1 s 65 kA
Rated Ultimate Short-Circuit Breaking Capacity (I <sub>cu</sub> )	(415 V AC) 80 kA (500 V AC) 65 kA (600 V AC) 50 kA (690 V AC) 40 kA
Rated Voltage (U <sub>r</sub> )	690 V
Remarks	Accessorized supercode
Short-Circuit Performance Level	H

Standards	IEC
Sub-type	E4.2

**Certificates and Declarations**

Data Sheet, Technical Information	1SDC200109L0201
Declaration of Conformity - CE	9AKK108466A6346
Data Sheet, Technical Information (Part 2)	1SDC001008D0204
Instructions and Manuals	1SDH002095A1001
Instructions and Manuals (Part 2)	1SDM000034A1001

**Classifications**

WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
---------------	---

**Categories**

Low Voltage Products and Systems → Circuit Breakers → Service → Extension, Upgrades and Retrofits

Low Voltage Products and Systems → Service → Extensions, Upgrades and Retrofits → Retrofits

