



 PRODUCT-DETAILS

DR F1S/MS 1250 3p W CD to E2.2/MS

DR F1S/MS 1250 3p W CD to E2.2/MS

General Information

Extended Product Type	DR F1S/MS 1250 3p W CD to E2.2/MS
Product ID	1SDZ001672R1
EAN	8051785729886
Catalog Description	DR F1S/MS 1250 3p W CD to E2.2/MS
Long Description	DR F1S/MS 1250 3p W CD to E2.2/MS + DR F1S/MS 1250 3p CD to E2.2/MS int + E2.2/MS 1250 3p F HR + AUX 4Q 400VAC E2.2...E6.2

ABB EcoSolutions

Environmental Product Declaration - EPD	1SDH002332A1001
---	-----------------

Technical

Standards	IEC
Current Type	AC
Rated Voltage (U _r)	690 V
Rated Operational Voltage	690 V AC

Rated Current (I_n)	1250 A
Rated Short-time Withstand Current Low Voltage (I_{cw})	for 1 s 45 kA
Number of Poles	3
Version	W
Configuration Type	Mounted only
Product Type	Direct Replacement ABB Megamax to Emax 2 IEC
Sub-type	E2.2

Material Compliance

RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108466A1425
Conflict Minerals Reporting Template (CMRT)	Document availability on demand

Dimensions

Product Net Width	328 mm
Product Net Height	434 mm
Product Net Depth / Length	486 mm

Ordering

Package Level 1 Units	pallet (lift) 1 piece
EAN	8051785729886

Installation

Instructions and Manuals	1SDH001561R0001
Wiring Diagram	1SDM000111R0001

Popular Downloads

Data Sheet, Technical Information	1SDC001043L0205
--------------------------------------	-----------------

Classifications

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85362090

Additional Information

Product Main Type	Low Voltage retrofit with Emax 2
-------------------	----------------------------------

Product Configuration

Identifier	Description	Quantity	Type
1SDA083638R1	DR F1S/MS 1250 3p CD to E2.2/MS int	1	Retrofit kit
1SDA073406R1	E2.2N/MS 1250 3p F HR	1	Switch Disconnect or
1SDA073753R1	AUX 4Q 400VAC E2.2...E6.2	1	Accessory
1SDA082610R1	No Description Available	1	Retrofit kit

Categories

Low Voltage Products and Systems → Service → Extensions, Upgrades and Retrofits → Retrofits