



 PRODUCT-DETAILS

XLP1-4P-8BC

XLP1-4P-8BC Fuse Switch Disconnecter



General Information

Extended Product Type	XLP1-4P-8BC
Product ID	1SEP600119R0002
EAN	7025840086642
Catalog Description	XLP1-4P-8BC Fuse Switch Disconnecter
Long Description	XLP1,4-pole,250A, incl. 8 Bridge Clamps

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	1SCC011021D0201
RoHS Information	1SCC011020D0201
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Popular Downloads

Data Sheet, Technical	1SEC312012D0201
-----------------------	-----------------

Information

Instructions and Manuals	No Instructions and Manuals needed
--------------------------	------------------------------------

Environmental

Degree of Protection	IP30
----------------------	------

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Country of Origin	China (CN)

Dimensions

Product Net Width	254 mm
Product Net Height	117 mm
Product Net Depth / Length	269 mm
Product Net Weight	2.98 kg

Container Information

Package Level 1 Units	shrink-wrap 1 piece
Package Level 1 Width	254 mm
Package Level 1 Depth / Length	269 mm
Package Level 1 Height	117 mm
Package Level 1 Gross Weight	2.98 kg
Package Level 1 EAN	7025840086642
Package Level 2 EAN	7025840086642

Technical

Rated Operational Current AC-22B (I_e)	(500 V) 250 A
Rated Impulse Withstand Voltage (U_{imp})	Main Circuit 8 kV
Rated Operational Voltage	500 V AC
Rated Frequency (f)	Main Circuit 50/60 Hz
Rated Conditional Short-Circuit Current (I_{nc})	(690 V) 50 kiloampere rms
Power Loss	at Rated Load 7.5 W
Handle Type	Front cover 4P
Fuse Size	NH1
Fuse System	DIN
Standards	IEC60947-3 GB/T14048.3
Special Functions	Not Included
Mounting Type	Baseplate

Number of Poles	4
Degree of Protection	IP30
Terminal Type	Cable Clamp
Device Type Manager (DTM)	Fuseswitchdisconnector
Rated Current (I_n)	250 A
Rated Voltage (U_r)	500 V AC
Electronic Fuse Monitoring	No

Certificates and Declarations

Declaration of Conformity - CE	1SEP500050P0001
--------------------------------	-----------------

Classifications

Object Classification Code	S
ETIM 8	EC001040 - Fuse switch disconnector
ETIM 9	EC001040 - Fuse switch disconnector
eClass	V11.1 : 27371401
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
E-Number (Norway)	1687816
E-Number (Sweden)	3171971

Categories

Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → EasyLine

