



 PRODUCT-DETAILS

GDMR25-PA316FXT2

Sub Distribution, 1315 mm x 500 mm x 130 mm



Product image
not available

General Information

Extended Product Type	GDMR25-PA316FXT2
Product ID	1SKS816102C2310
EAN	6221115069117
Catalog Description	Sub Distribution, 1315 mm x 500 mm x 130 mm
Long Description	Sub Distribution, No Description Available

Technical

Rated Current (I_n)	250 A
Rated Service Short-Circuit Breaking Capacity (I_{cs})	36 kA
Number of Poles	48
Surface Finishing	Tinned
Material	Copper

Material Compliance

RoHS Information	1SKC910043C0001
------------------	-----------------

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20240129
REACH Declaration	1SKC910034C0001
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240129
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	500 mm
Product Net Height	1315 mm
Product Net Depth / Length	130 mm

Certificates and Declarations

Declaration of Conformity - CE	1SKC100819C0001
--------------------------------	-----------------

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Popular Downloads

Data Sheet, Technical Information	No document needed
-----------------------------------	--------------------

Classifications

ETIM 8	EC001900 - Busbar system for distribution boards
ETIM 9	EC001900 - Busbar system for distribution boards
WEEE Category	Product Not in WEEE Scope
eClass	V11.0 : 27400613

Categories

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Sub Distribution Boards → Mirage



Product image
not available