



 PRODUCT-DETAILS

GDMR25-316FXT2

Sub Distribution, 1670 mm x 800 mm x 240 mm,
Isolated (Class II), IP43



Product image
not available

General Information

Extended Product Type	GDMR25-316FXT2
Product ID	1SKS816242C2310
EAN	6221115068950
Catalog Description	Sub Distribution, 1670 mm x 800 mm x 240 mm, Isolated (Class II), IP43
Long Description	Sub Distribution. No Description Available

Technical

Rated Current (I_n)	250 A
Number of Flange Openings	2
Number of Conduit Inlets	0
Cover Plate Type	Cover
Mounting Type	Surface mounting
Door Type	Single
Surface Finishing	Powder coating
Housing Material	Steel
Cover Style	with Notch
RAL Number	RAL 7035 - Light Grey

Color Grey

Material Compliance

RoHS Information	1SKC910043C0001
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20240129
REACH Declaration	1SKC910034C0001
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240129
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Degree of Protection	IP43
Protection Class	Isolated (Class II)

Dimensions

Product Net Width	800 mm
Product Net Height	1670 mm
Product Net Depth / Length	240 mm
Built-In Depth (t ₂)	240 mm
Thickness	Cabinet Plate 1.5 mm Door Plate 1.5 mm

Certificates and Declarations

Declaration of Conformity - CE	1SKC100819C0001
--------------------------------	-----------------

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Popular Downloads

Data Sheet, Technical Information	No document needed
-----------------------------------	--------------------

Classifications

ETIM 8	EC000058 - Empty cabinet
ETIM 9	EC000058 - Empty cabinet
WEEE Category	Product Not in WEEE Scope
eClass	V11.0 : 27142408

Categories

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Sub Distribution Boards → Mirage



Product image
not available