WB1SL0820A00 1/3



PRODUCT-DETAILS

WB1SL0820A00

Junction Box Surface mounting General



General Information	
Extended Product Type	WB1SL0820A00
Product ID	1SL0922A00
EAN	8000126039429
Catalog Description	Junction Box Surface mounting General
Long Description	IP55-CABLE GL-LOW LID-153X110X66-1/4TS - GWT 960°C

Technical	
Application	General
Suitable For	IP44-IP55-IP65 junction boxes in thermoplastic material
Rated Insulation Voltage (U _i)	1500 V
Number of Conduit Inlets	8
Cover Mounting Type	Screw
Mounting Type	Surface mounting
Product Type	IP44-55-65
Screw Type	Plastic

WB1SL0820A00 2/3

Shape	Rectangular
Surface Finishing	Untreated
Enclosure Material	polycarbonate
Material	Plastic
Cover Style	Blind Cover
RAL Number	RAL 7035 - Light Grey
Color	grey

Material Compliance	
RoHS Information	9AKK108468A2381
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20221015
REACH Declaration	9AKK108469A7731
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20240429
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Degree of Protection	IP55
Protection Class	Isolated (Class II)
Environmental Information	1SLC001001D0905

Dimensions	
Product Net Width	153 mm
Product Net Height	110 mm
Product Net Depth / Length	66 mm
Product Net Weight	0.291 kg

Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	10.25 kg

Certificates and Declarations	
Declaration of	9AKK108468A2381
Conformity - CE	

Installation	
Instructions and Manuals	No document needed

WB1SL0820A00 3/3

Popular Downloads

Data Sheet, Technical 9AKK107991A8329 Information

Classifications

ETIM 8	EC002600 - Box/housing for surface mounting on the wall/ceiling
ETIM 9	EC002600 - Box/housing for surface mounting on the wall/ceiling
WEEE Category	Product Not in WEEE Scope
eClass	V11.0 : 27144401
Object Classification Code	U

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Enclosures \rightarrow Installation\ Material \rightarrow Junction\ Boxes \rightarrow Surface\ Mounted$





