




---

 PRODUCT-DETAILS

# Q855G806

## Door, 642 mm x 809 mm x 250 mm, IP55




---

### General Information

Extended Product Type	Q855G806
Product ID	1SZE990920B0170
EAN	5411815219177
Catalog Description	Door, 642 mm x 809 mm x 250 mm, IP55
Long Description	Door transparent for System pro E energy, up to IP55, with 3 point locking system, IK07, safety glass. W800 H600

---

### Technical

Model Number	Panel door
Surface Finishing	Powder coating
Material	Steel
Color	Grey
Number of Batteries	0

---

### Material Compliance

RoHS Information	9AKK108468A9942
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

RoHS Date	20231210
REACH Declaration	1STE000078
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Environmental

Degree of Protection	IP55
----------------------	------

## Dimensions

Product Net Width	809 mm
Product Net Height	642 mm
Product Net Depth / Length	250 mm

## Ordering

Package Level 1 Units	box 1 piece
-----------------------	-------------

## Certificates and Declarations

Declaration of Conformity - CE	9AKK108468A9942
--------------------------------	-----------------

## Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

## Popular Downloads

Data Sheet, Technical Information	No document needed
Building Information Modeling - BIM	9AKK107680A9001 9AKK107680A9002

## Classifications

ETIM 8	EC000747 - Door/operating panel (enclosure/cabinet)
ETIM 9	EC000747 - Door/operating panel (enclosure/cabinet)
WEEE Category	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27182204
Object Classification Code	U

---

## Categories

---

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Sub Distribution Boards → System pro E Energy Combi - Kits and Accessories

