TPME120Y10SG 1/3



PRODUCT-DETAILS

TPME120Y10SG

Surge Protective Device



General Information	
Global Commercial Alias	TPME120Y10SG
Extended Product Type	TPME120Y10SG
Product ID	1TQD210120Y5803
Catalog Description	Surge Protective Device
Long Description	SPD,TPME,Integrated,208/120v 3P4W,100kA per mode

Technical	
Rated Voltage (Ur)	208 V AC
Voltage Protection Level (Up)	700 kV (N-PE) 700 kV (L-N) 900 kV
Maximum Continuous Operating Voltage (U _c)	(L-PE) 150 V
Rated Service Short- Circuit Breaking Capacity (I _{cs})	200 kA
Discharge Current	Nominal (8 / 20 μs) 20 kA I (max, 8 / 20 μs) 200 kA

TPME120Y10SG 2/3

Number of Protected Poles	6
Number of Conductors	6
Transmission Standard	Acoustic
	Optic
Mounting Type	Surface Mounting

Material Compliance	
RoHS Status	No declaration needed
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions	
Product Net Width	6.96 in 176.88 mm
Product Net Height	17.72 in 450.13 mm
Product Net Depth / Length	7.20 in 182.93 mm
Product Net Weight	24 lb 10.89 kg

Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	30 lb 13.61 kg

Certificates and Declarations	
Declaration of	No declaration needed
Conformity - CE	

Installation	
Instructions and	9AKK107680A9457
Manuals	

Popular Downloads	
Data Sheet, Technical	9AKK107680A9391
Information	

Classifications	
ETIM 8	EC000941 - Surge protection device for power supply systems
ETIM 9	EC000941 - Surge protection device for power supply systems
WEEE Category	Product Not in WEEE Scope

TPME120Y10SG 3/3

 UNSPSC
 39121610

 eClass
 V11.0 : 27130805

 IDEA Granular Category
 4906 >> Surge suppressers

 Code (IGCC)
 4906 >> Surge suppressers

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow NEMA\ Residential\ and\ Commercial\ Portfolio \rightarrow Surge\ Protective\ Device \rightarrow Integral\ Portfolio \rightarrow Integral\ Portf$





