



 PRODUCT-DETAILS

TPME480D06WMN4T1

Surge Protective Device



General Information

Global Commercial Alias	TPME480D06WMN4T1
Extended Product Type	TPME480D06WMN4T1
Product ID	1TQD406480D4303
Catalog Description	Surge Protective Device
Long Description	Surge Protective Device TPME,65kA per mode, 480v Delta 3P3W

Technical

Rated Voltage (U_r)	480 V AC
Voltage Protection Level (U_p)	1800 kV
Maximum Continuous Operating Voltage (U_c)	(L-PE) 550 V
Rated Service Short-Circuit Breaking Capacity (I_{cs})	200 kA
Discharge Current	Nominal (8 / 20 μ s) 20 kA I (max, 8 / 20 μ s) 130 kA
Number of Protected	3

Poles

Number of Conductors	3
Transmission Standard	Acoustic Optic
Mounting Type	In Housing

Material Compliance

RoHS Status	No declaration needed
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	7.46 in 189.48 mm
Product Net Height	9.50 in 241.30 mm
Product Net Depth / Length	4.95 in 125.98 mm
Product Net Weight	13 lb 5.9 kg

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	18 lb 8.16 kg
Replacement Product ID (NEW)	2CJC112480D5204

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Installation

Instructions and Manuals	9AKK107680A9448
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	9AKK107680A9391
-----------------------------------	-----------------

Classifications

ETIM 8	EC000941 - Surge protection device for power supply systems
ETIM 9	EC000941 - Surge protection device for power supply systems
WEEE Category	Product Not in WEEE Scope

UNSPSC

39121610

eClass

V11.0 : 27130805

IDEA Granular Category
Code (IGCC)

4906 >> Surge suppressers

Categories

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → Surge Protective Device → Hardwired and Wall Mount

