THQL2150X 1/3



PRODUCT-DETAILS

## THQL2150X Plug-in Breaker



General Information	
Global Commercial Alias	THQL2150X
Extended Product Type	THQL2150X
Product ID	1TQQ021050S0000
EAN	78316443195
Catalog Description	Plug-in Breaker
Long Description	Q line circuit breakers are one-inch wide per pole, compact, thermal-magnetic devices designed for residential and commercial applications. The QL breakers are plug-in versions of the Q Line used for connection to load centers and lighting panels. All Q Line circuit breakers feature Quick-make / Quick-break mechanisms, common trip bars, and easy to spot trip indication to ensure safety and reliability. Q Line breakers are available in 1, 2, and 3 pole versions, can be ordered with auxiliary contact and shunt trip accessories, and can be ordered for use in HID applications.

Material Compliance		
RoHS Status	No declaration needed	
REACH Information	No data - If REACH inform is not yet available for a certain product	
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363	

THQL2150X 2/3

Dimensions	
Product Net Width	3.000 in
Product Net Height	3.375 in
Product Net Depth /	3.000 in
Length Product Net Weight	1.058 lb
- Todas - Tot - Todas - Total	
Ordering	
Package Level 1 Units	box 10 piece
Package Level 1 Gross	10.800 lb
Weight	
Certificates and Declarations	
Declaration of Conformity - CE	No declaration needed
Installation	
Instructions and Manuals	9AKK107680A9941
Popular Downloads	
Data Sheet, Technical Information	9AKK107680A9941
Classifications	
ETIM 8	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 9	EC000228 - Power circuit-breaker for trafo/generator/installation protection
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121601
eClass	V11.0 : 27370409
IDEA Granular Category Code (IGCC)	4838 >> 2 Pole Special Application Plug-In Circuit Breakers

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow NEMA\ Residential\ and\ Commercial\ Portfolio \rightarrow Residential\ Breakers \rightarrow MCB$ 

THQL2150X 3/3





