MLR61 1/3



PRODUCT-DETAILS

MLR61

Main Lug Kit



General Information	
Global Commercial Alias	MLR61
Extended Product Type	MLR61
Product ID	1TQR162006Z0001
EAN	not available
Catalog Description	Main Lug Kit
Long Description	ReliaGear lighting panelboards are factory assembled on rigid steel frames and equipped with circuit breakers from 15 A to 800 A. The maximum fully-rated short circuit rating is equal to 65 kAIC to 240 V AC and 480/277 V AC.

ABB EcoSolutions	
ABB EcoSolutions	Yes
Circular Design Principles Recyclability Rate	92.6 %
Offered with Extended Lifetime	Product Modularity
End of Life Instructions	1SQC173021M0202
Environmental Product	1SQC173004D0201

MLR61 2/3

Declaration - EPD

Technical	
Rated Voltage (U _r)	480 V AC
Rated Current (I _n)	600 V AC
Model Number	MLR61
Number of Poles	3
Cable Cross-Section	500 kcmil
Connecting Capacity Main Circuit	500 kcmil
Terminal Type	Lug terminals

Dimensions	
Product Net Width	9.500 in
Product Net Height	3.000 in
Product Net Depth / Length	12.000 in
Product Net Weight	3.000 lb

Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	variable lb

Certificates and Declarations Declaration of Conformity - CE No declaration needed

Installation	
Instructions and	No document needed
Manuals	

Popular Downloads	
Data Sheet, Technical	9AKK107680A9334
Information	

Classifications	
ETIM 8	EC002021 - Terminal block connector
ETIM 9	EC002021 - Terminal block connector
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121446
eClass	V11.1 : 27141151
IDEA Granular Category Code (IGCC)	4666 >> Wire terminal connector kit

MLR61 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow NEMA\ Residential\ and\ Commercial\ Portfolio \rightarrow Lighting\ Panels\ \&\ Breakers \rightarrow PROSTOCK\ Lighting\ Panels$

