




---

 PRODUCT-DETAILS

# AB25BDPW

## Enclosure




---

**General Information**

Global Commercial Alias	AB25BDPW
Extended Product Type	AB25BDPW
Product ID	1TQR225113N1000
EAN	not available
Catalog Description	Enclosure
Long Description	ReliaGear lighting panelboards are factory assembled on rigid steel frames and equipped with circuit breakers from 15 A to 800 A. The maximum fully-rated short circuit rating is equal to 65 kAIC to 240 V AC and 480/277 V AC.

---

**Dimensions**

Product Net Width	30.000 in
Product Net Height	25.500 in
Product Net Depth / Length	7.500 in
Product Net Weight	45.000 lb

---

### Certificates and Declarations

---

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

---

---

### Installation

---

Instructions and Manuals	No document needed
--------------------------	--------------------

---

---

### Popular Downloads

---

Data Sheet, Technical Information	No document needed
Building Information Modeling – BIM	15QC173011D0201

---

---

### Classifications

---

WEEE Category	Product Not in WEEE Scope
UNSPSC	39121321
IDEA Granular Category Code (IGCC)	4465 >> Enclosure General Accessories

---

---

### Categories

---

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → Lighting Panels & Breakers → ReliaGear Lighting Panels



