AB31KP 1/3



PRODUCT-DETAILS

## AB31KP

# **Enclosure**



General Information	
Global Commercial Alias	AB31KP
Extended Product Type	AB31KP
Product ID	1TQR231200N1000
EAN	783175139989
Catalog Description	Enclosure
Long Description	ReliaGear lighting panelboards are factory assembled on rigid steel frames and equipped with circuit breakers from 15 A to 800 A. The maximum fully-rated short circuit rating is equal to 65 kAIC to 240 V AC and 480/277 V AC.

Dimensions	
Product Net Width	20.000 in
Product Net Height	31.500 in
Product Net Depth / Length	5.750 in
Product Net Weight	34.000 lb

AB31KP 2/3

Ordering	
Package Level 1 Units	box variable piece
Package Level 1 Gross Weight	variable lb

#### **Certificates and Declarations**

Declaration of No declaration needed Conformity - CE

#### Installation

Instructions and No document needed Manuals

## **Popular Downloads**

Data Sheet, Technical Information	9AKK107680A9334
Building Information Modeling – BIM	1SQC173009D0201

## Classifications

WEEE Category	Product Not in WEEE Scope
UNSPSC	39121321
IDEA Granular Category Code (IGCC)	4465 >> Enclosure General Accessories

#### **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow NEMA\ Residential\ and\ Commercial\ Portfolio \rightarrow Lighting\ Panels\ \&\ Breakers \rightarrow ReliaGear\ Lighting\ Panels$ 

AB31KP 3/3

