



 PRODUCT-DETAILS

AB88BDP

Enclosure



General Information

Global Commercial Alias	AB88BDP
Extended Product Type	AB88BDP
Product ID	1TQR288110N1000
EAN	not available
Catalog Description	Enclosure
Long Description	ReliaGear lighting panelboards are factory assembled on rigid steel frames and equipped with circuit breakers from 15 A to 800 A. The maximum fully-rated short circuit rating is equal to 65 kAIC to 240 V AC and 480/277 V AC.

Dimensions

Product Net Width	20.000 in
Product Net Height	88.500 in
Product Net Depth / Length	7.500 in
Product Net Weight	96.000 lb

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Popular Downloads

Data Sheet, Technical Information	No document needed
Building Information Modeling – BIM	1SQC173008D0201

Classifications

WEEE Category	Product Not in WEEE Scope
UNSPSC	39121321
IDEA Granular Category Code (IGCC)	4465 >> Enclosure General Accessories

Categories

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → Lighting Panels & Breakers → ReliaGear Lighting Panels



