



 PRODUCT-DETAILS

AF55FDTMW

Front



General Information

Global Commercial Alias	AF55FDTMW
Extended Product Type	AF55FDTMW
Product ID	1TQR355235F0300
Catalog Description	Front
Long Description	ReliaGear lighting panelboards are factory assembled on rigid steel frames and equipped with circuit breakers from 15 A to 800 A. The maximum fully-rated short circuit rating is equal to 65 kAIC to 240 V AC and 480/277 V AC.

Dimensions

Product Net Width	31.250 in
Product Net Height	56.750 in
Product Net Depth / Length	0.100 in
Product Net Weight	53.000 lb

Ordering

Package Level 1 Units	box 1 piece
-----------------------	-------------

Package Level 1 Gross
Weight

68.310 lb

Certificates and Declarations

Declaration of Conformity
- CE

No declaration needed

Installation

Instructions and Manuals

No document needed

Popular Downloads

Data Sheet, Technical
Information

No document needed

Classifications

WEEE Category

Product Not in WEEE Scope

UNSPSC

39121321

IDEA Granular Category
Code (IGCC)

4465 >> Enclosure General Accessories

Categories

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → Lighting Panels & Breakers → ReliaGear Lighting Panels



