



 PRODUCT-DETAILS

9T83B2672G03

Low Voltage Dry Type Transformer-LPT



General Information

Global Commercial Alias	9T83B2672G03
Extended Product Type	9T83B2672G03
Product ID	1TQX140722F0600
EAN	783173197028
Catalog Description	Low Voltage Dry Type Transformer-LPT
Long Description	ABB Low Voltage Dry Type transformers are built to last and are designed with exclusive features. With easy installation and all of the specifications you trust, it's easy to see why ABB QL dry type transformers are preferred by contractors. They are available with aluminum or copper windings and in all three temperature rise ratings.

Technical

Number of Phases	1
Transformer Type	Noise Isolation - Shield, Electrostatic
Housing Material	Painted Steel
Material of Conductor	Aluminum
Temperature Rise	150 °C

Material Compliance

RoHS Status	No declaration needed
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	31.8 in 807.8 mm
Product Net Height	35.7 in 906.8 mm
Product Net Depth / Length	24 in 609.6 mm
Product Net Weight	400 lb 181.5 kg
Dimension Diagram	303B406AAP072

Ordering

Package Level 1 Units	case 1 EA
Package Level 1 Gross Weight	448 lb 203.3 kg

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Installation

Instructions and Manuals	9AKK107991A2142
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	No document needed
-----------------------------------	--------------------

Classifications

ETIM 8	EC004582 - Low voltage dry type transformer
ETIM 9	EC004582 - Low voltage dry type transformer
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121001
IDEA Granular Category Code (IGCC)	4124 >> Distribution power transformers

Categories

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → LV Dry Type Transformers → Large Power Transformers

