9T10B1001 1/3



PRODUCT-DETAILS

9T10B1001

Low Voltage Dry Type Transformer-LPT



General Information	
Global Commercial Alias	9T10B1001
Extended Product Type	9T10B1001
Product ID	1TQX233791A0100
EAN	783173908266
Catalog Description	Low Voltage Dry Type Transformer-LPT
Long Description	Our Type QL transformers meet DOE-2016 efficiency standards. They are available in aluminum and copper and in all three temperature rise ratings. QL Transformers utilize a UL recognized 220°C insulation system and are UL Listed.

Technical	
Number of Phases	3
Transformer Type	General Purpose
Housing Material	Core & Coil
Material of Conductor	Aluminum

Material Compliance

9T10B1001 2/3

RoHS Status	No declaration needed
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals	9AKK108468A3363
Reporting Template	
(CMRT)	

Dimensions	
Product Net Width	21.2 in 538.5 mm
Product Net Height	29.3 in 744.3 mm
Product Net Depth / Length	16.9 in 429.3 mm
Product Net Weight	231 lb 104.8 kg
Dimension Diagram	303B111GEUXP71A

Ordering	
Package Level 1 Units	case 1 piece
Package Level 1 Gross	279 lb
Weight	126.6 kg

Certificates and Declarations	
Declaration of	No declaration needed
Conformity - CE	

Installation	
Instructions and	9AKK107991A2142
Manuals	

Popular Downloads	
Data Sheet, Technical	9AKK107680A9377
Information	

Classifications	
ETIM 8	EC002485 - Three-phase control transformer
ETIM 9	EC002485 - Three-phase control transformer
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121029
eClass	V11.0 : 27031301
IDEA Granular Category Code (IGCC)	4179 >> Three Phase Low Sound & Noise Isolation Dry Type Transformers 600V Or Less

9T10B1001 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow NEMA\ Residential\ and\ Commercial\ Portfolio \rightarrow LV\ Dry\ Type\ Transformers \rightarrow Large\ Power\ Transformers$

