

PRODUCT-DETAILS

9T10B1006

Low Voltage Dry Type Transformer-LPT



General Information	
Global Commercial Alias	9T10B1006
Extended Product Type	9T10B1006
Product ID	1TQX253791A0100
EAN	78317390831
Catalog Description	Low Voltage Dry Type Transformer-LPT
Long Description	Our Type QL transformers meet DOE-2016 efficiency standards. They are available in aluminum and copper and in all three temperature rise ratings. QL Transformers utilize a UL recognized 220°C insulation system and are UL Listed.

Technical	
Number of Phases	3
Transformer Type	General Purpose
Housing Material	Core & Coil
Material of Conductor	Aluminum

Material Compliance

© 2024 ABB. All rights reserved.

RoHS Status	No declaration needed
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions	
Product Net Width	37.3 in 947.5 mm
Product Net Height	45.8 in
	1163.4 mm
Product Net Depth / Length	24 in 609.6 mm
Product Net Weight	1030 lb 467.3 kg
Dimension Diagram	303B111GEDYP76A
Ordering	
Package Level 1 Units	case 1 piece
Package Level 1 Gross Weight	1091 lb 494.9 kg
Certificates and Declarations	
Declaration of Conformity - CE	No declaration needed
Installation	
Instructions and Manuals	9AKK107991A2143
Popular Downloads	
Data Sheet, Technical Information	9AKK107680A9377

Classifications		
ETIM 8	EC002485 - Three-phase control transformer	
ETIM 9	EC002485 - Three-phase control transformer	
WEEE Category	Product Not in WEEE Scope	
UNSPSC	39121029	
eClass	V11.0 : 27031301	
IDEA Granular Category Code (IGCC)	4179 >> Three Phase Low Sound & Noise Isolation Dry Type Transformers 600V Or Less	

Categories

Low Voltage Products and Systems \rightarrow NEMA Residential and Commercial Portfolio \rightarrow LV Dry Type Transformers \rightarrow Large Power Transformers

