

PRODUCT-DETAILS

9T51B0103 -1C,0.075kVA,120x240-12/24,55C,3R,60Hz,QB



General Information	
Global Commercial Alias	9T51B0103
Extended Product Type	9T51B0103
Product ID	1TQY305232B1140
EAN	783173008539
Catalog Description	- 1C,0.075kVA,120x240-12/24,55C,3R,60Hz,QB
Long Description	ABB's Type QB & QMS Buck Boost transformers come standard in NEMA 3R nonventilated weatherproof enclosures. These units feature encapsulated copper core and coils with an integrated junction box that includes a ground lug for easy wiring - especially useful when wiring three together to form a 3-phase autotransformer. Improved termination spacing and wiring compartment room gives greater flexibility in selecting various UL listed connectors for either copper or aluminum cable. The Type QB & QMS buck boost transformers come in either isolation or autotransformer types and are RoHS compliant, UL and cUL Listed. Qualified to the seismic requirements of IEEE-693-2005 and IBC-2021 and CBC 2022.

Technical		
Primary Voltage		120x240 V AC
Secondary Voltage		12/24 V AC
Frequency (f)		60 Hz
© 2024 ABB. All rights reserved.	2024/10/15	Subject to change

Subject to change without notice

9T51B0103

Apparent Power Output	0.075 kV·A
Connection	Single Phase; Single Phase
Configuration	
Number of Phases	1
Insulation Class	105 °C, Class A
Enclosure Type NEMA	Type3R
Transformer Type	Buck Boost
Housing Material	Painted Steel
Material of Conductor	Copper
Accessories Available	No
Color	ANSI 61 Grey
Product Frame Size	6200
Temperature Rise	55 °C

RoHS Information	9AKK107991A1008
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20200807
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental	
Environmental Ambient Temperature	40 °C
	40 °C
Ambient Temperature	40 °C 5.02 ir 127.51 mm
Ambient Temperature Dimensions Product Net Width	5.02 ir
Ambient Temperature Dimensions Product Net Width Product Net Height Product Net Depth /	5.02 ir 127.51 mm 6.18 ir
Ambient Temperature Dimensions	5.02 ir 127.51 mm 6.18 ir 156.98 mm 3.13 ir

Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross	6.51 lb
Weight	2.96 kg

Certificates and Declarations

Declaration of Conformity - CE

Installation

© 2024 ABB. All rights reserved.

No declaration needed

9AKK107991A2927

Popular Downloads

Information	al 9AKK107992A9343
Information	

Classifications		
ETIM 8	EC002486 - One-phase control transformer	
ETIM 9	EC002486 - One-phase control transformer	
WEEE Category	Product Not in WEEE Scope	
UNSPSC	39121025; 4167	
eClass	V11.0 : 27031302	
IDEA Granular Category Code (IGCC)	4167 >> Buck & Boost Dry Type Transformers 600V Or Less	

Categories

Low Voltage Products and Systems \rightarrow NEMA Residential and Commercial Portfolio \rightarrow LV Dry Type Transformers \rightarrow Small Power Transformers



© 2024 ABB. All rights reserved.

2024/10/15