

PRODUCT-DETAILS

# 9T51B0128

## -1C,0.5kVA,120x240-16/32,100C,3R,BB,QB



General Information	
Global Commercial Alias	9T51B0128
Extended Product Type	9T51B0128
Product ID	1TQY316432A1150
EAN	783173008645
Catalog Description	- 1C,0.5kVA,120x240-16/32,100C,3R,BB,QB
Long Description	ABB's Type QB & QMS Buck Boost transformers come standard in NEMA 3R nonventilated weatherproof enclosures. These units feature encapsulated copper core and coils with an integrated junction box that includes a ground lug for easy wiring - especially useful when wiring three together to form a 3-phase autotransformer. Improved termination spacing and wiring compartment room gives greater flexibility in selecting various UL listed connectors for either copper or aluminum cable. The Type QB & QMS buck boost transformers come in either isolation or autotransformer types and are RoHS compliant, UL and cUL Listed. Qualified to the seismic requirements of IEEE-693-2005 and IBC-2021 and CBC 2022.

Technical		
Primary Voltage		120x240 V AC
Secondary Voltage		16/32 V AC
Frequency (f)		60 Hz
© 2024 ABB. All rights reserved.	2024/10/15	Subject to change

Subject to change without notice

Apparent Power Output	0.5 kV·A
Connection Configuration	Single Phase; Single Phase
Number of Phases	1
Insulation Class	180 °C, Class H
Enclosure Type NEMA	Type3R
Transformer Type	Buck Boost
Housing Material	Painted Steel
Material of Conductor	Copper
Accessories Available	No
Color	ANSI 61 Grey
Product Frame Size	10225
Temperature Rise	100 °C

RoHS Information	9AKK107991A100
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 201
RoHS Date	2020080
REACH Information	No data - If REACH inform is not yet available for a certain produc
Conflict Minerals Reporting Template (CMRT)	9AKK108468A336
Environmental	
Environmental Ambient Temperature	40 °C
Ambient Temperature	40 °C
	6.76 ir
Ambient Temperature Dimensions Product Net Width	6.76 ir 171.71 mn 8.25 ir
Ambient Temperature Dimensions Product Net Width Product Net Height Product Net Depth /	6.76 ir 171.71 mn 8.25 ir 209.55 mn 4.88 ir
Ambient Temperature Dimensions	40 °C 6.76 ir 171.71 mr 8.25 ir 209.55 mr 4.88 ir 123.96 mr 16 lt 7.26 kg

Package Level 1 Units	box 1 piece
Package Level 1 Gross	18.46 lb
Weight	8.38 kg

#### **Certificates and Declarations**

Declaration of Conformity - CE

#### Installation

© 2024 ABB. All rights reserved.

No declaration needed

9AKK107991A2927

### **Popular Downloads**

Data Sheet, Technical	9AKK107992A9343
Information	

Classifications		
ETIM 8	EC002486 - One-phase control transformer	
ETIM 9	EC002486 - One-phase control transformer	
WEEE Category	Product Not in WEEE Scope	
UNSPSC	39121025; 4167	
eClass	V11.0 : 27031302	
IDEA Granular Category Code (IGCC)	4167 >> Buck & Boost Dry Type Transformers 600V Or Less	

#### Categories

Low Voltage Products and Systems  $\rightarrow$  NEMA Residential and Commercial Portfolio  $\rightarrow$  LV Dry Type Transformers  $\rightarrow$  Small Power Transformers



3605