




---

 PRODUCT-DETAILS

## S803S-SCL63-SR

### Self-Resetting Short-Circuit Limiter




---

#### General Information

Extended Product Type	S803S-SCL63-SR
Product ID	2CCS803901R0599
EAN	7612271425616
Catalog Description	Self-Resetting Short-Circuit Limiter
Long Description	S803S-SCL63-SR Self-resetting short-circuit current limiter 63A 3-pole tested acc. to IEC 60947-2

---

#### Technical

Standards	IEC 60947-2 IEC 60947-4-1
Suitable For	S800S
Rated Operational Voltage	Auxiliary Circuit 400 / 690 V
Rated Impulse Withstand Voltage ( $U_{imp}$ )	8 kV
Rated Current ( $I_n$ )	63 A
Rated Operational	63 A

Current (I <sub>e</sub> )	
Rated Ultimate Short-Circuit Breaking Capacity (I <sub>cu</sub> )	(240 / 415 V AC) 100 kA (254 / 440 V AC) 100 kA (289 / 500 V AC) 65 kA (400 / 690 V AC) 50 kA
Rated Conditional Short-Circuit Current (I <sub>nc</sub> )	50 kA
Rated Service Short-Circuit Breaking Capacity (I <sub>cs</sub> )	(240 / 415 V AC) 100 kA (254 / 440 V AC) 100 kA (289 / 500 V AC) 65 kA (400 / 690 V AC) 50 kA
Rated Uninterrupted Current (I <sub>u</sub> )	63 A
Apparent Power Output	Secondary 43470 V·A
Power Loss	7.8 W at Rated Operating Conditions per Pole 2.6 W
Number of Poles	3
Mounting Type	DIN-Rail

## Material Compliance

RoHS Information	2CCC413015D0601 9AKK107680A3903
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20170426
REACH Declaration	9AKK108468A3036
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20200527
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Environmental

Environmental Information	2CCY413207D0203
---------------------------	-----------------

## Dimensions

Product Net Width	81 mm
Product Net Height	142 mm
Product Net Depth / Length	82.5 mm
Product Net Weight	750 g

## Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	780 g
E-Number (Norway)	1628885
E-Number (Sweden)	2101581

## Certificates and Declarations

Declaration of  
Conformity - CE

2CCC413015D0601

### Installation

Instructions and  
Manuals

9AKK106930A3418

### Popular Downloads

Data Sheet, Technical  
Information

2CCC413003C0208

### Classifications

ETIM 8	EC000239 - Current limiter
ETIM 9	EC000239 - Current limiter
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85362020
UNSPSC	39121636
eClass	V11.0 : 27370416
IDEA Granular Category Code (IGCC)	4991 >> Current limiter
Object Classification Code	F

### Categories

Low Voltage Products and Systems → Modular DIN Rail Products → High Performance Circuit Breakers HPCBs → High Performance Circuit Breakers HPCBs Accessories



360°

