



PRODUCT-DETAILS

E236-US1 Minimum Voltage Relay



General Information	
Extended Product Type	E236-US1
Product ID	2CDE165000R2001
EAN	4016779511087
Catalog Description	Minimum Voltage Relay
Long Description	Three-phase undervoltage monitoring of switchgear. Devices with fixed threshold value used for power installations in hospitals and rooms used for medical purposes outside of hospitals as well as power installations and safety supply in installations for gathering of people.

Technical	
Supply Voltage	L-L 400 V AC
	L-N 230 V AC
Rated Insulation Voltage	acc. to IEC/EN 60664-1 250 V
(U _i)	
Rated Frequency (f)	48 63 Hz
Power Loss	1.7 W
Accuracy	Repeat accuracy ± 1% Temperature effect ≤ 0.1%/°C
Number of Auxiliary	2

© 2024 ABB. All rights reserved.

2024/10/16

Subject to change without notice

Contacts CO (SPDT)	
Overvoltage Category	Ш
Delay Time (T)	Off, Typical, Switched Off via Control Input Voltage 100 ms
Remarks	Green LED= Supply Voltage applied Yellow LED= relay status is active (when at leas one phase voltage falls below threshold, yellow LED turns off)
Connecting Capacity	max 4 mm²

Material Compliance	
RoHS Information	2CDK440006K020
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	2005060
REACH Declaration	9AKK107492A1906
REACH Information	False - does not contain substances > 0.1 mass percentag
REACH Date	2024082
Conflict Minerals Reporting Template (CMRT)	9АКК108468А336
Environmental	
Ambient Air Temperature	Operation -25 +55 °C
Environmental Information	2CDU400021D0201
Dimensions	
Product Net Width	35 mm
Product Net Height	87 mm
Product Net Depth / Length	60 mm
Product Net Weight	0.1 kg
Ordering	
Package Level 1 Units	box 5 piece
Package Level 1 Gross Weight	0.55 kg
Certificates and Declarations	
Declaration of Conformity - CE	2CDK440006K0203
Installation	
Instructions and Manuals	2csc400002d0209

Popular Downloads

Data Sheet, Technical Information 9AKK106930A8017

Classifications		
ETIM 8	EC001667 - Under voltage monitoring relay for distribution board	
ETIM 9	EC001667 - Under voltage monitoring relay for distribution board	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B	Business To Consumer	
CN8	8536 49 00	
eClass	V11.0 : 27142327	

Categories

 $\mathsf{Low}\ \mathsf{Voltage}\ \mathsf{Products}\ \mathsf{and}\ \mathsf{Systems}\ \to\ \mathsf{Modular}\ \mathsf{DIN}\ \mathsf{Rail}\ \mathsf{Products}\ \to\ \mathsf{Protection}\ \mathsf{and}\ \mathsf{Safety}\ \mathsf{Devices}\ \to\ \mathsf{Protection}\ \mathsf{Relays}$









3605