




PRODUCT-DETAILS

6309.0017.0

KSSM-S 630 Busbar bridge



General Information

Global Commercial Alias	6309.0017.0
Extended Product Type	KSSM-S 630
Product ID	2CGX063090017
EAN	7331980003990
Catalog Description	KSSM-S 630 Busbar bridge
Long Description	Busbar bridges incl. Busbar supports for current transformer

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CGC0049
RoHS Information	2CGC0048
RoHS Status	Following EU Directive 2011/65/EU

Popular Downloads

Data Sheet, Technical
Information

2CGC0036

Instructions and
Manuals

No Instructions and Manuals needed

Environmental

Degree of Protection

acc. to IEC 60529 IP2X

Ordering

Minimum Order Quantity

1 bag

Customs Tariff Number

85369010

Country of Origin

Sweden (SE)

Dimensions

Product Net Width

115 mm

Product Net Height

321 mm

Product Net Depth /
Length

126 mm

Product Net Weight

2.7 kg

Container Information

Package Level 1 Units

bag 3 piece

Package Level 1 Width

320 mm

Package Level 1 Depth /
Length

40 mm

Package Level 1 Height

150 mm

Package Level 1 Gross
Weight

2.7 kg

Package Level 1 EAN

7331980003990

TechnicalConventional Thermal
Current (I_{the})

630 A

Rated Insulation Voltage
(U_i)

690 V

Rated Operational
Voltage

500 V

Degree of Protection

acc. to IEC 60529 IP2X

Tightening Torque

20 N·m

Technical UL/CSA

Tightening Torque

20 N·m

Certificates and Declarations

Declaration of
Conformity - CE

No declaration needed

Classifications

ETIM 8	EC002270 - Accessories/spare parts for busbars
ETIM 9	EC002270 - Accessories/spare parts for busbars
eClass	V11.1 : 27141192
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
E-Number (Finland)	5451089
E-Number (Norway)	1147201
E-Number (Sweden)	0732647

Categories

Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → Kabeldon IP-System

