




---

 PRODUCT-DETAILS

# 6330.0552.0

## SDC 473 Cable distribution cabinet




---

**General Information**

Global Commercial Alias	6330.0552.0
Extended Product Type	SDC 473
Product ID	2CGX063300552
EAN	7331980008384
Catalog Description	SDC 473 Cable distribution cabinet
Long Description	Cabinet suitable for electrical distribution boards with direct or current transformer metering. 400 A busbars inside.

---

**Material Compliance**

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CGC0049
RoHS Information	2CGC0043
RoHS Status	Following EU Directive 2011/65/EU

## Popular Downloads

Data Sheet, Technical Information	2CGC0036
Instructions and Manuals	No Instructions and Manuals needed

## Environmental

Degree of Protection	acc. to IEC 60529 IP34D
----------------------	-------------------------

## Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85381000
Country of Origin	Sweden (SE)

## Dimensions

Product Net Width	996 mm
Product Net Height	889 mm
Product Net Depth / Length	312 mm
Product Net Weight	60 kg

## Container Information

Package Level 1 Units	euro pallet 1 piece
Package Level 1 Width	1000 mm
Package Level 1 Depth / Length	889 mm
Package Level 1 Height	312 mm
Package Level 1 Gross Weight	60 kg
Package Level 1 EAN	7331980008384
Package Level 2 Units	3 euro pallet
Package Level 2 Width	1000 mm
Package Level 2 Depth / Length	1200 mm
Package Level 2 Height	900 mm
Package Level 2 Gross Weight	180 kg

## Technical

Conventional Thermal Current ( $I_{the}$ )	400 A
Rated Insulation Voltage ( $U_i$ )	1000 V
Rated Operational Voltage	400 V
Rated Peak Withstand Current Low Voltage ( $I_{pk}$ )	55 kA

Rated Short-time Withstand Current Low Voltage ( $I_{cw}$ )	for 1 s 21 kiloampere rms
Rated Conditional Short-Circuit Current ( $I_{nc}$ )	(3//250 A fuse, 400 V) 50 kiloampere rms (3//250 A fuse, 400 V) 3315AFuse400V;85 kiloampere rms
Standards	IEC 60439-1,-5
Color	Natural colour
Mounting Type	Ground and floor mounted
Number of Poles	4
Degree of Protection	acc. to IEC 60529 IP34D
Enclosure Material	Steel
Lock Type	Triangle (SDC-LT)

## Certificates and Declarations

Declaration of Conformity - CE	2CGC0022
--------------------------------	----------

## Classifications

ETIM 8	EC003517 - Cable distribution cabinet
ETIM 9	EC003517 - Cable distribution cabinet
eClass	V11.1 : 27142430
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
E-Number (Finland)	5451217
E-Number (Sweden)	0732063

## Categories

Low Voltage Products and Systems → Cable Distribution Cabinets → Kabeldon Cable Distribution Cabinets → Cable Distribution Cabinets with Components

