



 PRODUCT-DETAILS

2CHA196997A4507

Socket outlets Degree of protection (IP) with Hinged Lid grey - Tango



General Information

Product ID	2CHA196997A4507
EAN	8592624447580
Catalog Description	Socket outlets Degree of protection (IP) with Hinged Lid grey - Tango
Long Description	Desing Tango®, smoke grey color. Earth-pin socket with lid and shutters with protection IP44 for standard frames up 3gang for vertical a horizontal installation.

Installation

Instructions and Manuals	2CHC700001M0101
Mounting Type	Flush mounted (plaster)
Type of Fastening	Mounting with Claw Mounting with Screw

Environmental

Degree of Protection	IP44
----------------------	------

Technical

Data Sheet, Technical Information	No document needed
Number of Phases	1
Number of Gangs	1
Connection Type	Plug Clamp
Socket Outlet Type	CSN - Norm
Protection Cap Type	Hinged Lid

Electrical

Short-Circuit Current Rating (SCCR)	0 A
Rated Voltage (U _r)	250 V
Rated Current (I _n)	16 A
Rated Frequency (f)	50 ... 50 Hz

Design

Design Range	Tango
Surface Finishing	Untreated Glossy
Material	Plastic Thermoplastic
Legend	Degree of protection (IP)
Label Space Provided	No
Color	grey

Dimensions

Built-In Depth (t ₂)	40 mm
----------------------------------	-------

Material Compliance

RoHS Information	2CHC663076X0201
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	2CHC663076X0201
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20221103
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
SCIP	4c7b8afd-8658-4cd9-b9b0-21b80386b99b Czech Republic (CZ)

Certificates and Declarations

Declaration of Conformity - CE	2CHC663107X9901
--------------------------------	-----------------

Classifications

ETIM 9	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Socket Outlets

