



 PRODUCT-DETAILS

5592A-A2349C

Socket Outlets Without imprint cream white (electro white) - Tango



General Information

Extended Product Type	5592A-A2349C
Product ID	2CHA922349C4511
EAN	8595017277603
Catalog Description	Socket Outlets Without imprint cream white (electro white) - Tango
Long Description	Optical fault signalling. Screw-type terminals. Fixation via screws only. 16 A, 230 V AC

Installation

Instructions and Manuals	No document needed
Mounting Type	Flush Mounted
Type of Fastening	Mounting with Screw

Environmental

Degree of Protection	IP20
----------------------	------

Technical

Data Sheet, Technical Information	No document needed
Number of Phases	1
Number of Active Pin Terminals	2
Number of Gangs	2
Connection Type	Screw
Socket Outlet Type	Power Socket Outlets - French acc. to NF C 61-314
Battery Weight	0 g
Number of Batteries	0

Electrical

Short-Circuit Current Rating (SCCR)	0 A
Rated Voltage (U_r)	230 V
Rated Current (I_n)	16 A
Frequency (f)	50...50 Hz

Design

Design Range	Tango
Surface Finishing	Untreated Glossy
Material	Plastic Thermoplastic
Legend	Without imprint
Label Space Provided	No
Color	cream white (electro white)

Dimensions

Product Net Weight	110 g
Built-In Depth (t_2)	40 mm

Ordering

Replaced Product ID (OLD)	5592A-A2349C
---------------------------	--------------

Material Compliance

RoHS Information	2CHC663076X0201
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	2CHC663076X0201
REACH Information	False - does not contain substances > 0.1 mass percentage
REACH Date	20221103
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Classifications

ETIM 9	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Socket Outlets

