




---

 PRODUCT-DETAILS

## 3521B-A07945 93

### Mechanical Controls Intermediate switch cream white (electro white) - Basic55




---

**General Information**

Extended Product Type	3521B-A07945 93
Product ID	2CHB210799A4093
EAN	8592624100591
Catalog Description	Mechanical Controls Intermediate switch cream white (electro white) - Basic55
Long Description	up for 3-gang standard frame ABB-basic55

---

**Installation**

Instructions and Manuals	No document needed
Mounting Type	Flush Mounted
Type of Fastening	Screw

---

**Environmental**

Degree of Protection	IP44
----------------------	------

## Technical

Data Sheet, Technical Information	No document needed
Number of Rocker Switches	1
Wiring Configuration	Intermediate switch
Action Type of the Contact Element (acc. to IEC 60947-5-1)	Basic element with central cover plate
Actuator Type	Rocker lever
Connection Type	Plug Clamp
Illumination	Non-illuminated
Battery Weight	0 g
Number of Batteries	0

## Electrical

Rated Voltage ( $U_r$ )	250 V
Rated Current ( $I_n$ )	10 A
Maximum Switching Current	Fluorescent Lamps 10

## Design

Design Range	Basic55
Surface Finishing	Glossy
Material	Plastic
Label Space Provided	No
Color	cream white (electro white)

## Dimensions

Product Net Weight	68.6 g
Built-In Depth ( $t_2$ )	36.6 mm

## Ordering

Replaced Product ID (OLD)	2CHB210799A4093
---------------------------	-----------------

## Material Compliance

RoHS Information	2CHC663076X0201
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	2CHC663076X0201
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Certificates and Declarations

Declaration of  
Conformity - CE

No declaration needed

---

### Classifications

ETIM 9	EC001590 - Installation switch
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

---

### Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Mechanical Controls

